

In Demand

Trading (Pty) Ltd



standard designs

25 years design experience

services: design, structural analysis, shop drawings, manufacture, installation



Retractable

Retractable Options:

- stainless steel
- primed & coated
- full cantilever

Wind Rating

- 60 km/hr



Fixed Frame

Fixed Frame Options

- stainless steel
- galvanised & coated
- cantilever (single, dual, quad)

Wind Rating

- 100 km/hr





Fixed Frame



Single Cantilever

- single offset column, single membrane
- mild steel
- primed & coated
- non retractable

Wind Rating

- 110 km/hr



Dual Cantilever

Fixed Frame

- single offset column, two membranes
- primed & coated
- non retractable

Wind Rating

- 110 km/hr





Square Perimeter

Features:

- imported ferrari membrane
- fire retardant membrane
- optional roll up blinds
- ideal for function and events

Wind Rating

- 120 km/hr



Tensimarquee

Features

- imported ferrari membrane
- fire retardant membrane
- optional roll up blinds
- no central columns
- ideal for function and events

Wind Rating

- 120 km/hr





Fixed Frame



Single Cantilever

- single column, four membranes
- mild steel
- primed & coated
- non retractable

Wind Rating

- 110 km/hr



Indoor Cantilever

Fixed Frame

- single offset column, one membranes
- primed & coated
- non retractable

Wind Rating

- 30 km/hr





Gutterbrella

Features:

- imported ferrari membrane
- fire retardant membrane
- gutter around perimeter
- seal between structures

Wind Rating

- 140 km/hr




Guttermarquee

Features

- imported ferrari membrane
- fire retardant membrane
- optional roll up blinds
- no central columns
- with or without fascia

Wind Rating

- 120 km/hr





Non Retractable



Fixed Frame Option:

- mild steel
- primed & coated
- pvc or shadecloth membrane

Wind Rating

- 100 km/hr



Alfresco (PVC)

Fixed Frame Option

- mild steel
- primed & coated
- pvc or shadecloth membrane

Wind Rating

- 100 km/hr





Non Retractable



Fixed Frame Option:

- mild steel
- primed & coated
- pvc or shadecloth membrane

Wind Rating

- 120 km/hr



Bird Structure indoor

Fixed Frame Option

- mild steel
- primed & coated
- solits, ferrari or sheer weave membrane

Wind Rating

- 30 km/hr





With Roller Blinds

Features:

- imported ferrari membrane
- thermoflex false ceiling
- roll up blinds sheer weave (can see through)
- soft curtains

Wind Rating

- 120 km/hr



Massage Daybed

Features

- sheer weave membrane (can see through)
- aluminum frame
- can be semi-permanent or mobile
- waterproof mattress included
- panels bolt together (easy to transport)





Non Retractable

Fixed Frame Option:

- mild steel
- primed & coated
- pvc or Shadecloth membrane

Wind Rating

- 100 km/hr



Caracau Design

Fixed Frame Option

- mild steel
- primed & coated

Wind Rating

- 110 km/hr





Fixed Frame Option:

- mild steel
- primed & coated
- pvc membrane

Wind Rating

- 144 km/hr



Free Standing Tensile Umbrellas

Fixed Frame Option

- mild steel
- primed & coated
- free standing base

Wind Rating

- 120 km/hr





Non Retractable

Fixed Frame Option:

- mild steel
- primed & coated
- ferrari membrane

Wind Rating

- 110 km/hr



Slider Awning

Features:

- mild steel primed and coated to colour
- tracks with wheels for sliding
- ferrari 402 membrane

Wind Rating

- 120 km/hr





Non Retractable



Fixed Frame Option:

- mild steel
- primed & coated
- clear polycarb roof sheeting

Wind Rating

- 144 km/hr



Barrel Structure

Features:

- mild steel primed and coated to colour
- wood cladding optional
- ferrari 402 membrane

Wind Rating

- 144 km/hr





Non Retractable

Fixed Frame Option:

- mild steel
- primed & coated
- soltis, ferrari or clear weave membrane

Wind Rating

- 144 km/hr




Parking Barrel

Features:

- mild steel primed and coated to colour
- wood cladding optional
- ferrari 402 membrane

Wind Rating

- 144 km/hr





Including equipment

Fixed Frame Option:

- mild steel
- primed & coated
- ferrari membrane

Wind Rating

- 144 km/hr



Tensile Kiosk

Features:

- mild steel primed and coated to colour
- equipment can be included
- ferrari 402 membrane
- fully lockable with fold down flaps

Wind Rating

- 144 km/hr





Retractable

Features:

- mild steel primed and coated to colour
- tracks with wheels for sliding
- ferrari 402 membrane

Wind Rating

- 120 km/hr



Barrel Structure

Features:

- mild steel, primed & coated
- pvc or shadecloth membrane
- 5000mm deep or 10 000mm deep
by 5000 wide or 7500mm wide


Wind Rating

- 120 km/hr





Retractable



Features:

- mild steel primed and coated to colour
- tracks with wheels for sliding
- ferrari 402 membrane

Wind Rating

- 120 km/hr



Barrel Structure

Features:

- mild steel, primed & coated
- pvc membrane
- 5000mm deep or 10 000mm deep by 5000 wide or 7500mm wide

Wind Rating

- 144 km/hr





waterproof option

Features:

- mild steel primed and coated to colour
- sizes 3x5m, 5x5m, 7.5x5m (custom sizes)
- option of galvanised finish for coastal regions

Wind Rating

- 90 km/h, 144 km/h, 180 km/h



Cantilever Shadeports

Features:

- mild steel primed and coated to colour
- sizes 3x5m, 5x5m, 7.5x5m (custom sizes)
- option of galvanised finish for coastal regions

Wind Rating

- 90 km/h, 144 km/h, 180 km/h





waterproof option

Features:

- mild steel primed and coated to colour
- sizes 3x6m, 5x6m, 7.5x6m (custom sizes)
- option of galvanised finish for coastal regions

Wind Rating

- 144 km/h



Golfport

Features:

- mild steel primed and coated to colour
- sizes 3x6, 6x6m (custom sizes)
- option of galvanised finish for coastal regions

Wind Rating

- 90 km/h, 144 km/h, 180 km/h



standard design

e:// sales@indemandtrading.co.za

t:// +27 (0)11 791 1888



waterproof option




Features:

- mild steel primed and coated to colour
- sizes multiple bays of 5x6m (custom sizes)
- option of galvanised finish for coastal regions

Wind Rating

- 144 km/h



Enviroarch

Features:

- mild steel primed and coated to colour
- sizes 3x6, 6x6m (custom sizes)
- option of galvanised finish for coastal regions

Wind Rating

- 90 km/h, 144 km/h, 180 km/h

